



Follow us on Facebook



Catalog
T.107 E



Cutting



Drilling



Grinding



Milling

Cutting tools for ...

angle grinders petrol cutters joint cutters bench saws bridge saws wall saws

atlas gmbh
diamant
QUALITÄT VOM HERSTELLER

www.atlas-diamant.de

Tools for ...




angle grinders




petrol cutters




joint cutters



bench saws



bridge saws



wall saws

With **ATLAS** to the perfect cut

materials from

A-Z

material / building materials	recommendation		recommendation		recommendation	
abrasive material asphalt	KS Nass A7 Nass	∅ 300-900 mm ∅ 300-900 mm	Quattro/QSP A7 Prem	∅ 115-800 mm ∅ 300-700 mm	DBS Sprinter A7	∅ 115-230 mm ∅ 300-800 mm
basalt / lava bituminous ceilings	F1 F1	∅ 115-350 mm ∅ 115-350 mm	Quattro/QSP A7 Prem	∅ 115-800 mm ∅ 300-700 mm	Quattro LK Sprinter A7	∅ 230-350/700 mm ∅ 300-800 mm
brick building material	KS Nass Quattro/QSP	∅ 300-900 mm ∅ 115-800 mm	Quattro/QSP B5 / BU	∅ 115-800 mm ∅ 115-900 mm	F1 TS grün	∅ 115-350 mm ∅ 115-350 mm
ceramic glazed clay pipes	Alpha/Extremo NSG Nass	∅ 115-125 mm ∅ 250-800 mm	TG blau Quattro/QSP	∅ 115-350 mm ∅ 115-800 mm	GR TT rot	∅ 115-350 mm ∅ 115-350 mm
claystone clay tiles glazed	TS grün TT rot	∅ 115-350 mm ∅ 115-350 mm	Quattro/QSP Quattro/QSP	∅ 115-800 mm ∅ 115-800 mm	TT rot DBS	∅ 115-350 mm ∅ 115-230 mm
clinker hard clinker soft	F1 B5 / BU	∅ 115-350 mm ∅ 115-900 mm	TT rot Quattro/QSP	∅ 115-350 mm ∅ 115-800 mm	Sprinter	∅ 115-180 mm
concrete abrasive concrete aggregate	B1 Nass BU Nass	∅ 300-1200 mm ∅ 250-900 mm	B1 Prem Quattro/QSP	∅ 300-600 mm ∅ 115-800 mm	Quattro/QSP B5 / BU	∅ 115-800 mm ∅ 115-900 mm
concrete elements concrete fresh	B1 Nass A7 Prem	∅ 300-1200 mm ∅ 300-700 mm	B1 Prem B1 Prem	∅ 300-600 mm ∅ 300-600 mm	Quattro/QSP Quattro/QSP	∅ 115-800 mm ∅ 115-800 mm
concrete old concrete pipes	B1 Nass B1 Nass	∅ 300-1200 mm ∅ 300-1200 mm	B1 Prem Quattro/QSP	∅ 300-600 mm ∅ 115-800 mm	Quattro/QSP B1 Prem	∅ 115-800 mm ∅ 300-600 mm
concrete pitching concrete polymer	BPF Nass B1 Nass	∅ 250-650 mm ∅ 300-1200 mm	F1 B1 Prem	∅ 115-350 mm ∅ 300-600 mm	B1 Prem Quattro	∅ 300-600 mm ∅ 115-800 mm

material / building materials	recommendation		recommendation		recommendation	
concrete reinforced concrete roof tile	Sprinter B1 TT rot	Ø 300-800 mm Ø 115-350 mm	B1 Prem DBS	Ø 300-600 mm Ø 115-230 mm	Quattro/QSP TS grün	Ø 115-800 mm Ø 115-350 mm
curbs ductile cast iron pipes	F1 F1	Ø 115-350 mm Ø 115-350 mm	Quattro/QSP Quattro/QSP	Ø 115-800 mm Ø 115-800 mm	B1 Prem	Ø 300-600 mm
eternit gas concrete (Ytong)	F1 Quattro/QSP	Ø 115-350 mm Ø 115-800 mm	TS grün B5 / BU	Ø 115-350 mm Ø 115-900 mm	Quattro/QSP TG	Ø 115-800 mm Ø 115-350 mm
glazed tiles gneiss	GR NSG Nass	Ø 115-350 mm Ø 250-3000 mm	TG blau F1	Ø 115-350 mm Ø 115-350 mm	Alpha/Extremo Quattro/QSP	Ø 115-125 mm Ø 115-800 mm
granite industrial flooring	NSG Nass Sprinter A7	Ø 250-900 mm Ø 300-800 mm	G3 leise	Ø 115-230 mm	Quattro/QSP	Ø 115-800 mm
limestone abrasive limestone highly compressed	KS Nass NSG Nass	Ø 300-1200 mm Ø 250-1200 mm	TS grün Quattro/QSP	Ø 115-350 mm Ø 115-800 mm	Quattro/QSP TT rot	Ø 115-800 mm Ø 115-350 mm
limestone, e. g. Solnhofen magnesite stone	TT rot NSM Nass	Ø 115-350 mm Ø 250-900 mm	TS grün F1	Ø 115-350 mm Ø 115-350 mm	TG TS grün	Ø 115-350 mm Ø 115-350 mm
marble mastic asphalt	NSM Nass Sprinter A7	Ø 250-900 mm Ø 300-800 mm	TT rot	Ø 115-350 mm	GR	Ø 115-350 mm
paving compound stones paving slabs	Quattro/QSP F1	Ø 115-800 mm Ø 115-350 mm	F1 Quattro/QSP	Ø 115-350 mm Ø 115-800 mm	B1 Prem B1 Prem	Ø 300-600 mm Ø 300-600 mm
plaster plasterboard / sheetrock	B5 / BU TS grün	Ø 115-900 mm Ø 115-350 mm	TS grün B5 / BU	Ø 115-350 mm Ø 115-900 mm	Quattro/QSP F1	Ø 115-800 mm Ø 115-350 mm

material / building materials	recommendation		recommendation		recommendation	
porcelain poroton	GR B1 Nass	Ø 115-350 mm Ø 300-1200 mm	TG blau B5 / BU	Ø 115-350 mm Ø 115-900 mm	Alpha/Extremo Quattro	Ø 115-125 mm Ø 115-800 mm
porphyry pumice	NSG Nass B1 Nass	Ø 250-900 mm Ø 300-1200 mm	F1 Quattro	Ø 115-350 mm Ø 115-800 mm	TT rot B1 Prem	Ø 115-350 mm Ø 300-600 mm
quartzite refractory	NSG Nass F1	Ø 250-900 mm Ø 115-230 mm	TT rot TG blau	Ø 115-350 mm Ø 115-350 mm	G3 leise CKF Nass	Ø 115-230 mm Ø 300/350 mm
roof pans- / tiles sandstone abrasive	TT rot NSS Nass	Ø 115-350 mm Ø 250-1200 mm	DBS A7 Prem	Ø 115-230 mm Ø 300-700 mm	TS grün B5 / BU	Ø 115-350 mm Ø 115-900 mm
sandstone hard screed	NSG Nass B1 Nass	Ø 250-900 mm Ø 300-1200 mm	TT rot B1 Prem	Ø 115-350 mm Ø 300-600 mm	Quattro	Ø 115-800 mm
shamrock abrasive shamrock hard	SC Nass SC Nass	Ø 300/350 mm Ø 300/350 mm	KS Nass TT rot	Ø 300-900 mm Ø 115-350 mm	B1 Prem TS grün	Ø 300-600 mm Ø 115-350 mm
slate stoneware	F1 Alpha/Extremo	Ø 115-350 mm Ø 115-125 mm	TT rot TG blau	Ø 115-350 mm Ø 115-350 mm	TG blau GR	Ø 115-350 mm Ø 115-350 mm
stoneware pipes glazed stoneware pipes unglazed	TG blau TG blau	Ø 115-350 mm Ø 115-350 mm	GR GR	Ø 115-350 mm Ø 115-350 mm	Alpha/Extremo Alpha/Extremo	Ø 115-125 mm Ø 115-125 mm
stove tiles glazed terazzo	TG blau NSG Nass	Ø 115-350 mm Ø 250-900 mm	GR Quattro	Ø 115-350 mm Ø 115-800 mm	Alpha/Extremo TT rot	Ø 115-125 mm Ø 115-350 mm
terracotta tiles glazed	TG blau Alpha/Extremo	Ø 115-350 mm Ø 115-125 mm	GR TG blau	Ø 115-350 mm Ø 115-350 mm	Alpha/Extremo GR	Ø 115-125 mm Ø 115-350 mm
tiles unglazed travertine	Alpha/Extremo NSG Nass	Ø 115-125 mm Ø 250-900 mm	TG blau TT rot	Ø 115-350 mm Ø 115-350 mm	GR Quattro	Ø 115-350 mm Ø 115-800 mm

Symbol legend



coating




hammer segments for protection



dry cutting // no water




wet cutting // use water



extra thin cutting blade / segments



noise-reduced core



set/positioned diamond structure

diamond blades from

A-Z

item no.	Ø in mm	hole (please specify)	type	price plus VAT.
↳ 300-0	300-025-A7-nass			139,00 €
	300-0 350-025-A7-nass			179,00 €
	300-0 400-025-A7-nass			249,00 €
	300-0 450-025-A7-nass			279,00 €
	300-0 500-025-A7-nass			316,00 €
	300-0 600-025-A7-nass			420,00 €
	300-0 700-025-A7-nass			506,00 €
	300-0 800-025-A7-nass			639,00 €
	300-0 900-025-A7-nass			669,00 €



use for ...

asphalt	ok
bituminous ceilings	ok
concrete fresh	ok
sandstone abrasive	ok
screed	ok



special requests possible

Special features:
hammer segments for protection



A7 Nass

P. 10

item no.	Ø in mm	hole (please specify)	type	price plus VAT.
↳ 131-0 300-025-A7				89,00 €
131-0 350-025-A7				119,00 €
131-0 400-025-A7				179,00 €
131-0 450-025-A7				210,00 €
131-0 500-025-A7				258,00 €
131-0 600-025-A7				389,00 €
131-0 700-025-A7				419,00 €



use for ...

asphalt	ok
bituminous ceilings	ok
concrete fresh	ok
sandstone abrasive	ok
screed	ok



Special features:
protection segment




Item no.	Ø in mm	hole 22,23 mm	type	price plus VAT.
▶ 164-0 115-022-Alpha				32,00 €
164-0 125-022-Alpha				38,00 €



use for...

ceramic glazed	ok
porcelain	ok
stoneware	ok
stoneware pipes glazed	ok
stoneware pipes unglazed	ok
terracotta	ok
tiles glazed	ok
tiles unglazed	ok



Special features:
extra thin cut



item no.	Ø in mm	hole (please specify)	type	price plus VAT
↳ 311-0 300-025-B1-nass				129,00 €
311-0 350-025-B1-nass				169,00 €
311-0 400-025-B1-nass				239,00 €
311-0 450-025-B1-nass				268,00 €
311-0 500-025-B1-nass				298,00 €
311-0 600-025-B1-nass				398,00 €
311-0 700-025-B1-nass				479,00 €
311-0 750-025-B1-nass				560,00 €
311-0 800-025-B1-nass				648,00 €
311-0 900-025-B1-nass				775,00 €
311- 1000-025-B1-nass				923,00 €
311- 1200-035-B1-nass				1.200,00 €



use for...


concrete abrasive	ok
concrete aggregate	ok
concrete elements	ok
concrete fresh	ok
concrete old	ok
concrete pipes	ok
concrete pitching	ok
concrete reinforced	ok
curbs	ok
paving slabs	ok
poroton	ok
pumice	ok
screed	ok
terrazzo	ok




10 mm



special requests possible



item no.	Ø in mm	hole (please specify)	type	price plus VAT.
↳ 141-0 300-025-B1				78,00 €
141-0 350-025-B1				99,00 €
141-0 400-025-B1				158,00 €
141-0 450-025-B1				198,00 €
141-0 500-025-B1				248,00 €
141-0 600-025-B1				345,00 €




use for...

cobblestone	ok
concrete abrasive	ok
concrete aggregate	ok
concrete elements	ok
concrete fresh	ok
concrete old	ok
concrete pipes	ok
concrete pitching	ok
concrete reinforced	ok
curbs	ok
paving slabs	ok
polymer	ok
pumice	ok
screed	ok
shamrock abrasive	ok
terrazzo	ok



item no.	Ø in mm	hole 22,23 mm	type	price plus VAT.
↳ 110-0 115-022-B5-10				17,00 €
110-0 125-022-B5-10				19,00 €
110-0 150-022-B5-10				30,00 €
110-0 180-022-B5-10				34,00 €
110-0 230-022-B5-10				38,00 €




use for...

clinker soft	ok
concrete abrasive	ok
concrete aggregate	ok
concrete elements	ok
concrete fresh	ok
concrete old	ok
concrete pipes	ok
concrete pitching	ok
concrete reinforced	ok
curbs	ok
gas concrete	ok
paving slabs	ok
plaster	ok
plasterboard	ok
polymer	ok
poroton	ok
pumice	ok
sandstone abrasive	ok
screed	ok
terrazzo	ok



item no.	Ø in mm	hole 30,0/60,0 mm	type	price plus VAT.
↳ 137-0 300-030-BU				82,00 €
137-0 350-030-BU				99,00 €
137-0 400-030-BU				149,00 €
137-0 450-030-BU				198,00 €
137-0 550-030-BU				228,00 €
137-0 600-060-BU				235,00 €
137-0 625-060-BU				239,00 €
137-0 650-060-BU				288,00 €
137-0 700-060-BU				368,00 €
137-0 750-060-BU				399,00 €
137-0 800-060-BU				428,00 €
137-0 900-060-BU				458,00 €




use for...

clinker soft	ok
concrete abrasive	ok
concrete aggregate	ok
concrete elements	ok
concrete fresh	ok
concrete old	ok
concrete pipes	ok
concrete pitching	ok
concrete reinforced	ok
curbs	ok
gas concrete	ok
paving slabs	ok
plaster	ok
plasterboard	ok
polymer	ok
poroton	ok
pumice	ok
sandstone abrasive	ok
screed	ok
terrazzo	ok



item no.	Ø in mm	hole 22,23 mm	type	price plus VAT.
↳ 105-0 115-022-DBS				20,00 €
105-0 125-022-DBS				23,00 €
105-0 150-022-DBS				36,00 €
105-0 180-022-DBS				40,00 €
105-0 230-022-DBS				45,00 €



use for...	
clay roof tiles	ok
concrete abrasive	ok
concrete aggregate	ok
concrete elements	ok
concrete fresh	ok
concrete old	ok
concrete pipes	ok
concrete pitching	ok
concrete reinforced	ok
curbs	ok
paving slabs	ok
pumice	ok
roof pans- / tiles	ok
screed	ok
terrazzo	ok
	ok



item no.	Ø in mm	hole 15/ 22,23 mm	type	price plus VAT.
115- 0080 -015-Extremo				27,50 €
115- 0115 -022-Extremo				28,50 €
115- 0125 -022-Extremo				32,00 €
115- 0230 -022-Extremo				72,00 €



use for...	
ceramic glazed	ok
porcelain	ok
stoneware	ok
stoneware pipes glazed	ok
stoneware pipes unglazed	ok
terracotta	ok
tiles glazed	ok
tiles unglazed	ok



item no.	Ø in mm	hole 22,23/20,0/25,4 mm	type	price plus VAT.
169-0 115-022-F1				34,00 €
169-0 125-022-F1				38,00 €
169-0 150-022-F1				48,00 €
169-0 180-022-F1				56,00 €
169-0 230-022-F1				78,00 €
169-0 300-020-F1				139,00 €
169-0 350-025-F1				179,00 €



use for...	
basalt / lava	ok
bituminous ceilings	ok
brick	ok
clinker hard	ok
cobblestone	ok
concrete pitching	ok
curbs	ok
ductile cast iron pipes	ok
eternit	ok
gneiss	ok
granite	ok
magnesite	ok
marble	ok
paving slabs	ok
plasterboard	ok
porhyry	ok
refractory material	ok
sandstone hard	ok
slate	ok




other bores available on request

Special features:
core holes




item no.	Ø in mm	hole 22,23 mm	type	price plus VAT.
↳ 163-0 115-022-FS				18,00 €
163-0 125-022-FS				22,00 €



use for...

ceramic glazed	ok
porcelain	ok
stoneware	ok
stoneware pipes glazed	ok
stoneware pipes unglazed	ok
terracotta	ok
tiles glazed	ok
tiles unglazed	ok



Special features:
 extra thin cut



FS

P. 20

item no.	Ø in mm	hole 22,23 mm	type	price plus VAT.
↳ 155-0 115-022-G3-DK				49,00 €
155-0 125-022-G3-DK				59,00 €
155-0 150-022-G3-DK				76,00 €
155-0 180-022-G3-DK				89,00 €
155-0 230-022-G3-DK				98,00 €



use for ...

concrete aggregate	ok
granite hard	ok
granite soft	ok
marble	ok
quartzite	ok
travertine	ok



noise reducing

Special features:
noise reduced



G3 leise

P. 21

item no.	Ø in mm	hole 22,23 / 30,0 mm	type	price plus VAT.
161-0 115-022-GR-10				12,00 €
161-0 125-022-GR-10				16,00 €
161-0 150-022-GR-10				19,00 €
161-0 180-022-GR-10				26,00 €
161-0 200-030-GR-10				29,00 €
161-0 230-030-GR-10				42,00 €
161-0 250-030-GR-10				49,00 €
161-0 300-030-GR-10				78,00 €
161-0 350-030-GR-10				98,00 €



use for...	
ceramic glazed	ok
porcelain	ok
stoneware	ok
stoneware pipes glazed	ok
stoneware pipes unglazed	ok
marble	ok
tiles glazed	ok
tiles unglazed	ok



other bores available on request

ab Ø200 mm



item no.	Ø in mm	hole 30,0 / 60,0 mm	type	price plus VAT.
↳ 325-0 300-030-KS-nass				139,00 €
325-0 350-030-KS-nass				178,00 €
325-0 400-030-KS-nass				206,00 €
325-0 450-030-KS-nass				259,00 €
325-0 500-030-KS-nass				299,00 €
325-0 600-060-KS-nass				398,00 €
325-0 700-060-KS-nass				530,00 €
325-0 800-060-KS-nass				598,00 €
325-0 900-060-KS-nass				634,00 €




use for ...


brick	ok
calcareous sandstone abrasive	ok
poroton	ok
pumice	ok
sandstone abrasive	ok
shamrock abrasive	ok



special requests possible



item no.	Ø in mm	hole 30,0 / 60,0 mm	type	price plus VAT.
↳ 330-0 250-030-NSG-nass				149,00 €
330-0 275-030-NSG-nass				159,00 €
330-0 300-030-NSG-nass				175,00 €
330-0 350-030-NSG-nass				228,00 €
330-0 380-030-NSG-nass				248,00 €
330-0 400-030-NSG-nass				265,00 €
330-0 625-060-NSG-nass				478,00 €
330-0 900-060-NSG-nass				738,00 €




use for ...

clay pipes	ok
gneiss	ok
granite	ok
limestone highly compressed	ok
natural stone	ok
porphyry	ok
quartzite	ok
sandstone hard	ok
terrazzo	ok
travertine	ok



special requests possible



item no.	Ø in mm	hole 30,0 / 60,0	type	price plus VAT.
↳ 332-0 250-030-NSM-nass				149,00 €
332-0 275-030-NSM-nass				159,00 €
332-0 300-030-NSM-nass				175,00 €
332-0 350-030-NSM-nass				228,00 €
332-0 380-030-NSM-nass				248,00 €
332-0 400-030-NSM-nass				265,00 €
332-0 625-060-NSM-nass				478,00 €
332-0 900-060-NSM-nass				738,00 €



Einsatz bei...

marble	ok
natural stone	ok



special requests possible



item no.	∅ in mm	hole 22,23/30,0/60,0 mm	type	price plus VAT.
107-0 125-022-Quattro-S				44,00 €
107-0 180-022-Quattro-S				67,00 €
107-0 230-022-Quattro-S				79,00 €
107-0 300-020-Quattro-S				128,00 €
107-0 350-025-Quattro-S				154,00 €
107-0 450-025-Quattro-S				288,00 €



use for ...


abrasive material	gneiss	ok
asphalt	granite	ok
basalt / lava	limestone	ok
brick	paving slabs	ok
calcareous sandstone abra.	plaster	ok
calcareous highly comp.	polymer	ok
clay pipes	porhyry	ok
clay stones	poroton	ok
clinker hard	pumice	ok
clinker soft	quartzite	ok
concrete abrasive	screed	ok
concrete elements	terazzo	ok
concrete fresh	travertine	ok
concrete old		ok
concrete pipes		ok
concrete reinforced		ok
curbs		ok
ductile cast iron pipes		ok
eternit		ok
gas concrete		ok

Special feature:

maximum service life and ease of cutting

„ALLROUNDER“

item no.	Ø in mm	hole 22,23 / 25,4 / 30 mm	type	price plus VAT.
↳ 106-0 115-022-Quattro				22,00 €
106-0 125-022-Quattro				26,00 €
106-0 150-022-Quattro				36,00 €
106-0 180-022-Quattro				40,00 €
106-0 230-022-Quattro				49,00 €
106-0 250-030-Quattro				69,00 €
106-0 300-025-Quattro				91,00 €
106-0 350-025-Quattro				108,00 €
106-0 400-025-Quattro				158,00 €
106-0 450-025-Quattro				218,00 €
106-0 500-025-Quattro				269,00 €
106-0 600-025-Quattro				309,00 €
107-0 700-025-Quattro				540,00 €
107-0 800-025-Quattro				798,00 €



use for ...

abrasive material	gneiss	ok
asphalt	granite	ok
basalt / lava	limestone	ok
brick	paving slabs	ok
calcareous sandstone abra.	plaster	ok
calcareous highly comp.	polymer	ok
clay pipes	porhyry	ok
clay stones	poroton	ok
clinker hard	pumice	ok
clinker soft	quartzite	ok
concrete abrasive	screed	ok
concrete elements	terazzo	ok
concrete fresh	travertine	ok
concrete old		ok
concrete pipes		ok
concrete reinforced		ok
curbs		ok
ductile cast iron pipes		ok
eternit		ok
gas concrete		ok



ab Ø250 mm

other bores available on request

Special features:
turbo segment geometry




Quattro

P. 27

„top price for cutting tool
with noise reduction “

item no.	Ø in mm	hole 22,23/30,0/60,0 mm	type	price plus VAT.
109-0 230-022-Quattro-LK				78,00 €
109-0 300-030-Quattro-LK				125,00 €
109-0 350-030-Quattro-LK				149,00 €
109-0 700-060-Quattro-LK				595,00 €



noise reducing

use for ...


abrasive material	gneiss	ok
asphalt	granite	ok
basalt / lava	limestone	ok
brick	paving slabs	ok
calcareous sandstone abra.	plaster	ok
calcareous highly comp.	polymer	ok
clay pipes	porhyry	ok
clay stones	poroton	ok
clinker hard	pumice	ok
clinker soft	quartzite	ok
concrete abrasive	screed	ok
concrete elements	terazzo	ok
concrete fresh	travertine	ok
concrete old		ok
concrete pipes		ok
concrete reinforced		ok
curbs		ok
ductile cast iron pipes		ok
eternit		ok
gas concrete		ok

Special features:
noise reduced core




Quattro leise

item no.	Ø in mm	hole 22,23mm	type	price plus VAT.
↳ 116-0 115-022-Sprinter				38,00 €
116-0 125-022-Sprinter				46,00 €
116-0 150-022-Sprinter				64,00 €
116-0 180-022-Sprinter				68,00 €



use for ...		
bituminous ceiling	limestone abrasive	ok
brick	limestone highly comp.	ok
building material	magnesite	ok
clay pipes	plaster	ok
clay stones	poroton	ok
clinker	quartzite	ok
concrete pitching	roof pans -/ tiles	ok
concrete roof tiles	shamrock abrasive	ok
eternit	shamrock hard	ok
gas concrete		ok



Special features:
extra thin cut



SPRINTER


P. 29

item no.	Ø in mm	hole (please specify)	type	price plus VAT.
↳ 117-0 300-020-Sprinter-A7				154,00 €
117-0 350-020-Sprinter-A7				174,00 €
117-0 400-025-Sprinter-A7				238,00 €
117-0 450-025-Sprinter-A7				295,00 €
117-0 500-025-Sprinter-A7				354,00 €
117-0 600-025-Sprinter-A7				454,00 €
117-0 700-025-Sprinter-A7				659,00 €
117-0 800-025-Sprinter-A7				849,00 €



use for ...

asphalt	ok
bituminous ceilings	ok
concrete fresh	ok
industrial flooring	ok
mastic asphalt	ok
sandstone abrasive	ok
screed	ok



protection segments

ab Ø500mm


Special features:
extra thin cut




SPRINTER A7

P. 30

item no.	Ø in mm	hole (please specify)	type	price plus VAT.
↳ 118-0 300-020-Sprinter-B1				149,00 €
118-0 350-020-Sprinter-B1				168,00 €
118-0 400-025-Sprinter-B1				229,00 €
118-0 450-025-Sprinter-B1				280,00 €
118-0 500-025-Sprinter-B1				336,00 €
118-0 600-025-Sprinter-B1				436,00 €
118-0 700-025-Sprinter-B1				639,00 €
118-0 800-025-Sprinter-B1				829,00 €



use for ...	
concrete abrasive	ok
concrete aggregate	ok
concrete elements	ok
concrete old	ok
concrete pipes	ok
concrete pitching	ok
concrete reinforced	ok
curbs	ok
paving slabs	ok
pumice	ok
polymer	ok
screed	ok
terrazzo	ok



Special features:
extra thin cut



item no.	Ø in mm	hole 22,23/25,4 mm	type	price plus VAT.
↳ 173-0 115-022-TG-10				17,00 €
173-0 125-022-TG-10				19,00 €
173-0 150-022-TG-10				28,00 €
173-0 180-022-TG-10				29,00 €
173-0 230-022-TG-10				38,00 €
172-0 300-025-TG				82,00 €
172-0 350-025-TG				99,00 €



use for ...		
bituminous ceiling	limestone abrasive	ok
brick	limestone highly comp.	ok
building material	magnesite	ok
clay pipes	plaster	ok
clay stones	poroton	ok
clinker	quartzite	ok
concrete pitching	roof pans -/ tiles	ok
concrete roof tiles	shamrock abrasive	ok
eternit	shamrock hard	ok
gas concrete		ok



other bores available on request

ab Ø300mm / 8mm Belag

Special features:
closed cutting edge




TG

P. 32

item no.	Ø in mm	hole 22,23 / 30,0 mm	type	price plus VAT.
↳ 170-0 115-022-TG-bl				23,00 €
170-0 125-022-TG-bl				26,00 €
170-0 150-022-TG-bl				38,00 €
170-0 180-022-TG-bl				49,00 €
170-0 200-030-TG-bl				72,00 €
170-0 230-022-TG-bl				70,00 €
170-0 250-030-TG-bl				99,00 €
170-0 300-030-TG-bl				138,00 €
170-0 350-030-TG-bl				169,00 €

Optional:

Flansch 22,23 auf M14 24,00 €
inkl. Montage



use for ...

ceramic glazed	ok
porcelain	ok
refractory material	ok
shamrock	ok
slate	ok
stoneware	ok
stoneware pipes glazed	ok
stoneware pipes unglazed	ok
terrazzo	ok
tiles glazed	ok
tiles unglazed	ok



ab Ø200mm

other bores available on request

Special features:
extra thin cut




TG blau

P. 33

top price & performance

item no.	Ø in mm	hole 22,23 / 25,4 mm	type	price plus VAT.
↳ 151-0 115-022-TS-G				14,00 €
151-0 125-022-TS-G				16,00 €
151-0 150-022-TS-G				29,00 €
151-0 180-022-TS-G				31,00 €
151-0 230-022-TS-G				38,00 €
151-0 300-025-TS-G				68,00 €
151-0 350-025-TS-G				89,00 €



use for ...

brick building material
calcareous sandstone abra. clinker hard
clay pipes clay stones
concrete pitching concrete roof tiles
eternit gas concrete

limestone	ok
magnesite	ok
paving slabs	ok
plaster	ok
poroton	ok
quartzite	ok
roof pans -/ tiles	ok
shamrock	ok
	ok
	ok



ab Ø300mm

Special features:
turbo segment geometry



item no.	Ø in mm	hole 22,23/25,4 mm	type	price plus VAT.
↳ 177-0 115-022-TT-r				38,00 €
177-0 125-022-TT-r				46,00 €
177-0 150-022-TT-r				56,00 €
177-0 180-022-TT-r				68,00 €
177-0 230-022-TT-r				86,00 €
177-0 250-025-TT-r				99,00 €
177-0 300-025-TT-r				169,00 €
177-0 350-025-TT-r				229,00 €

Optional:

Flansch 22,23 auf M14 24,00 €
inkl. Montage



use for ...

basalt / lava	ok
clay pipes	ok
clay stones	ok
clinker hard	ok
concrete pitching	ok
curbs	ok
gneiss	ok
granite	ok
limestone	ok
limestone highly comp.	ok
marble	ok
porphyry	ok
quartzite	ok
roof pans -/ tiles	ok
sandstone hard	ok
shamrock hard	ok
slate	ok
terazzo	ok
travertine	ok



ab Ø300mm

other bores available on request

Special features:
segments for core protection



TT Rot

P. 35

item no.	Ø in mm	hole 60,0 mm	type	price plus VAT.
↳ 157-0 600-060-F-WS1				229,00 €
157-0 750-060-F-WS1				329,00 €
157-0 800-060-F-WS1				399,00 €
157-0 900-060-F-WS1				469,00 €



use for ...

concrete abrasive	ok
concrete element	ok
concrete fresh	ok
concrete old	ok
concrete reinforced	ok
polymer	ok




please note pin holes

For wall saws < 15 kW



item no.	Ø in mm	hole 60,0 mm	type	price plus VAT.
pre-cut				
350-0 600-060-V-WS1-nass				369,00 €
350-0 800-060-V-WS1-nass				528,00 €
follow-up cut				
350-0 600-060-F-WS1-nass				348,00 €
350-0 650-060-F-WS1-nass				388,00 €
350-0 750-060-F-WS1-nass				420,00 €
350-0 800-060-F-WS1-nass				498,00 €
350-0 900-060-F-WS1-nass				562,00 €
350- 1000-060-F-WS1-nass				668,00 €
350- 1200-060-F-WS1-nass				880,00 €



use for ...

concrete abrasive	ok
concrete element	ok
concrete fresh	ok
concrete old	ok
concrete reinforced	ok
polymer	ok



special requests possible - please note pin holes

Special features:
 short-teeth system



For wall saws < 15 kW

WS-1-Nass

P. 37

item no.	Ø in mm	hole 60,0 mm	type	price plus VAT.
pre-cut				
352-0 600-060-V-WS2-nass				398,00 €
352-0 800-060-V-WS2-nass				560,00 €
follow-up cut				
352-0 600-060-F-WS2-nass				379,00 €
352-0 650-060-F-WS2-nass				420,00 €
352-0 750-060-F-WS2-nass				462,00 €
352-0 800-060-F-WS2-nass				540,00 €
352-0 900-060-F-WS2-nass				608,00 €
352- 1000-060-F-WS2-nass				728,00 €
352- 1200-060-F-WS2-nass				984,00 €



use for ...

concrete abrasive	ok
concrete element	ok
concrete fresh	ok
concrete old	ok
concrete reinforced	ok
polymer	ok



special requests possible - please note pin holes

For wall saws **> 15 kW**


Special features:
 short-teeth system



WS-2-Nass

P. 38

item no.	Ø in mm	hole 60,0 mm	type	price plus VAT.
↳ 353-0 600-060-Z12-WS-DZ				424,00 €
353-0 650-060-Z12-WS-DZ				469,00 €
353-0 750-060-Z12-WS-DZ				527,00 €
353-0 800-060-Z12-WS-DZ				618,00 €
353-0 900-060-Z12-WS-DZ				778,00 €
353- 1000-060-Z12-WS-DZ				809,00 €



use for ...

concrete abrasive	ok
concrete element	ok
concrete fresh	ok
concrete old	ok
concrete reinforced	ok
polymer	ok








please note pin holes

For wall saws > 25 kW

Special features:
 set diamond structure




item no.	Ø in mm	hole 22,23/25,4 mm	type	price plus VAT.
↳ 121-0 230-022-Z12-LK				116,00 €
121-0 300-025-Z12-LK				248,00 €
121-0 350-025-Z12-LK				289,00 €
121-0 400-025-Z12-LK				338,00 €
121-0 450-025-Z12-LK				449,00 €
121-0 500-025-Z12-LK				499,00 €
121-0 500-025-Z12-LK				549,00 €
121-0 600-025-Z12-LK				685,00 €




use for ...

abrasive material	gneiss	ok
asphalt	granite	ok
basalt / lava	limestone	ok
brick	paving slabs	ok
calcareous sandstone abra.	plaster	ok
calcareous highly comp.	polymer	ok
clay pipes	porhyry	ok
clay stones	poroton	ok
clinker hard	pumice	ok
clinker soft	quartzite	ok
concrete abrasive	screed	ok
concrete elements	terazzo	ok
concrete fresh	travertine	ok
concrete old		
concrete pipes		
concrete reinforced		
curbs		
ductile cast iron pipes		
eternit		
gas concrete		



ab Ø300mm



Special features:
set diamond structure




BPF Nass

Ø250-650mm



SC Nass

Ø300+350mm




NSS Nass

Ø250-1200mm



CKF Nass leise

Ø300+350mm



noise reduced core

BU Nass

Ø250-900mm



individual construction ??

Please contact us.

Special wishes can be realized

in the **ATLAS** *Manufactory*.



special requests possible - please note pin holes

price on request

General terms of sale and delivery of atlas diamant GmbH, 95632 Wunsiedel

\$ 1 General – Scope

- 1.1 All our deliveries are subject to the following conditions, unless otherwise agreed in writing.
- 1.2 The following terms of delivery apply to all contracts, deliveries and other services, unless they are changed or excluded with the express consent of the seller. Different conditions of the buyer, which the seller does not expressly recognize in writing, are non-binding, even if the seller does not expressly object.
- 1.3 Orders become binding only after our written confirmation.
- 1.4 Our terms and conditions also apply to all future business with the customer.

\$ 2 Offer and delivery conditions

- 2.1 Our offers are non-binding. The conclusion is made by our written order confirmation. Collateral agreements are only effective if they have been confirmed by us in writing. Once placed orders are irrevocable and non-cancellable. The buyer is liable for the correctness of the documents to be delivered by him, in particular drawings, gauges and samples.
- 2.2 The prices are ex works, they are non-binding. We reserve the right to adjust the prices if there is a change in the cost factors in the period between submission of the offer and delivery.
- 2.3 Subject to the prices is the value added tax in the respective statutory amount.
- 2.4 The minimum order value is 50,000 €. Otherwise a minimum quarterly exchange will be charged. Exemplified from this are repair parts, however, plus transport costs.
- 2.5 Unless otherwise agreed in writing, delivery is ex works Wunsiedel.
- 2.6 We are entitled to make partial deliveries.
- 2.7 Information on the delivery date are to be understood as guideline values that can be exceeded or fallen below, this applies in particular in the event of faults occurring outside our control.
- 2.8 The delivery date will be borne by the customer, even if carriage paid delivery has been agreed.
- 2.10 We are not liable for any loss or damage.
- 2.11 The buyer must check the delivered goods immediately upon receipt. Any damage to the goods, including the packaging, must be noted on the bill of lading and acknowledged by the driver. Later reported damages are not recognized by the forwarding insurance and are therefore at the expense of the buyer.

\$ 3 Terms of payment

- 3.1 Our invoices are payable within 10 days with 2% discount or within 30 days net, unless otherwise agreed in writing. Repair and spare parts invoices are due immediately net.
- 3.2 Conditions for repairs will be changed if the repair is not to be carried out.
- 3.3 If the buyer is in default of payment of an invoice, all liabilities to us are immediately due.
- 3.4 Checks are accepted only on account of performance and are only valid after unconditional credit as payment. Bank fees are charged to the buyer.
- 3.5 The statutory rules regarding the consequences of late payments apply.
- 3.6 All payments must be made in cash or by bank transfer.
- 3.7 Initial orders with new customers are processed against advance payment.

\$ 4 Warranty

- 4.1 For the quality of the products supplied by us warranty is accepted for manufacturing or material defects due to repair or replacement occurring within the statutory or contractual deadline. Otherwise, we guarantee that we are free from manufacturing defects in the goods delivered. In the event of a complaint of material defects, representative samples of the goods complained about must be sent to us for evaluation. Notifications of defects can only be processed by us if at least 50% of the original diamond coating is still present.
- 4.2 According to § 377 HGB, the buyer must duly fulfil his examination and complaints obligations. Complaints due to obvious or hidden defects must be made immediately after receipt of the goods. In the case of justified notice of defects, we are entitled to the right to repair or replacement. We are not liable for damages that are not incurred on the goods themselves, and not for lost profits or other financial losses of the buyer.
- 4.4 Warranty is excluded for goods which have become unusable due to improper use, which has been altered, which is worn or worn due to operational conditions.
- 4.3 Complaints can only be accepted in conjunction with a proof of purchase (invoice copy).

\$ 5 Guarantee

- 5.1 For the products delivered by us we guarantee for a period of 12 months from the date of purchase. We undertake to repair the products gratuitously, if delivered free of charge to us if they have become defective as a result of material or manufacturing defects. A condition for the guarantee obligation is that the products were treated properly. Parts that are subject to natural wear are not covered by warranty. The warranty is void in case of damage due to improper operation and improper use. Incorrect installation, intervention by unauthorized persons or use of accessories or spare parts that are not original parts.
- 5.2 Return of warranty cases and repairs must be agreed in advance with us, the resulting transport and packaging costs are always at the expense of the buyer, this applies in particular to damage to the goods due to improper transport packaging. For returns due to incorrect orders by the buyer 20% of the value of the goods, as well as incurred transport and packaging costs are charged to the buyer. The goods will be taken back only after explicit approval by us. The goods must be in perfect condition. For special orders, as well as for custom made, no return option.
- 5.3 Further obligations, such as damage claims e.g. liability for property damage and personal injury, compensation for lost time or other financial loss are also excluded.

\$ 6 EAN bar code (GTIN – Global Trade Item Number)

- 6.1 The buyer is obliged to verify the correctness of the EAN bar code attached to the goods or any other code attached to the goods upon reception of the goods immediately by random checks. Our liability for incorrect coding is limited.

\$ 7 Retention of title

- 7.1 We reserve title to the purchased item until receipt of all payments from the business relationship with the customer. In case of breach of contract by the customer, in particular in case of default, we are entitled to reclaim the goods. The withdrawal of the purchased item by us is a withdrawal from the contract. After the return of the purchased goods, we are entitled to their recovery, the proceeds of the sale shall be credited against the customer's debts, less reasonable exploitation costs.
- 7.2 The dealer customer is obliged to handle the purchased goods with care; in particular, he is obliged to insure these at his own expense against damage caused by fire, water and theft to the value of new. If maintenance and inspection work is required, the customer must carry it out on time at their own expense.
- 7.3 In the event of seizure or other interference by third parties, the customer must notify us immediately in writing, so that we can file an action in accordance with § 771 ZPO. Insofar as the third party is not in a position to release the goods, we are entitled to their recovery. The customer must bear the costs of the recovery.
- 7.4 The dealer customer is entitled to resell the purchased item in the ordinary course of business, however, it hereby assigns to us all claims in the amount of the final invoice amount (including VAT) of our claim arising from the resale against its customers or third parties, irrespective of whether the purchased goods were resold without or after processing. To collect this claim, the customer remains authorized even after the assignment. Our authority to collect the claim itself remains unaffected. However, we undertake not to collect the claim as long as the customer meets his payment obligations from the proceeds received, does not default on payment and, in particular, has not filed an application for settlement or insolvency proceedings or has ceased payments. However, if this is the case, we can demand that the customer notify us of the assigned claims and their debtors, provide all information necessary for collection, hand over the associated documents and notify the debtors (third parties) of the assignment.
- 7.5 The processing or transformation of the purchased item by the customer is always carried out for us. If the purchased item is processed with other items not belonging to us, we acquire the co-ownership of the new item to the extent of the original invoice amount, including VAT) to the other processed items at the time of processing. Incidentally, the same applies to the object resulting from processing if the purchased item is inseparably mixed with other items not belonging to us, we acquire co-ownership of the new item in proportion of the value of the purchased item (final invoice amount, including VAT) to the other mixed items at the time of mixing, if the mixing takes place in such a way that the customer's item is to be regarded as the main item, it shall be deemed agreed that the customer assigns proportional co-ownership to us. The customer keeps the resulting sole ownership or co-ownership for us.

\$ 8 Goods return

- 8.1 We will only take back goods delivered by us with express consent.
- 8.2 The return must be made stating our delivery note or invoice number, otherwise no processing is possible. The return is in any case to be made free. Unifree returned goods we do not accept.
- 8.3 To cover our processing costs, the credit will be reduced by 20% of the value of the goods. Returns that are caused by our fault remain excluded from this.

\$ 9 Place of performance

- 9.1 Place of fulfillment for payment and delivery is our place of business.

\$ 10 Jurisdiction

- 10.1 Place of jurisdiction for merchants is Wunsiedel (95632).

\$ 11 Catalogs

- 11.1 The illustrations of our catalogs and brochures are not binding for the execution. We reserve the right to make changes to the design at any time. For deviations from the specified dimensions, weights, etc., we assume no liability. We are not liable for any typographical errors in our catalogs, brochures, price lists and other publications.

\$ 12 Copyright

- 12.1 We reserve the rights of ownership and copyright to illustrations, drawings, samples or other documents. They may not be made accessible to third parties without our permission and must be returned immediately upon request.

07/2018



Visit us on Facebook!



Feel free to contact us if you have any further questions!

atlas diamant GmbH

Am Ratskalkofen 7
DE-95632 Wunsiedel

Tel. +49 9232 / 3588

Fax +49 9232 / 7999

info@atlas-diamant.de